



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|------------------------------|------------------------|
| 10/533,014 | 04/28/2005 | Thomas Bosselmann | 2002P12570W0US | 1667 |
| 28524 7590 01/16/2007 SIEMENS CORPORATION INTELLECTUAL PROPERTY DEPARTMENT 170 WOOD AVENUE SOUTH ISELIN, NJ 08830 | | | EXAMINER VALONE, THOMAS F | |
| | | | ART UNIT 2858 | PAPER NUMBER |
| SHORTENED STATUTORY PERIOD OF RESPONSE 3 MONTHS | | | MAIL DATE 01/16/2007 | DELIVERY MODE PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/533,014

Applicant(s)

BOSELMAHNN ET AL.

Examiner

Thomas F. Valone

Art Unit

2858

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 October 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 21-25 and 27-40 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 21-25 and 27-40 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 11 September 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Claim Objections

1. Claims 28 and 29 are objected to because of the following informalities: Both claims depend upon claim 26 which has been cancelled. Appropriate correction is required.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 21, 32, and 34 are rejected under 35 U.S.C. 102(e) as being anticipated by Harrold of record (US 6,512,379).
4. Regarding claim 21, Harrold includes a plurality of turbine rotor blades and vanes (18, Fig. 2) made of an electrically conducting material (col. 4, lines 34-35) having an electrically insulating surface (col. 4, lines 36-37) and arranged on a rotor shaft (20) that is rotatably mounted in a housing and electrically connected to a reference potential or a plurality of fixed guide vanes (22, Fig. 2) made of an electrically conducting material (col. 4, lines 34-35) having an electrically insulating surface (col. 4, lines 36-37) with the electrically conducting material of the guide vanes electrically connected to the reference potential (col. 5, lines 32-40), as in claim 21. Harrold also includes a

Art Unit: 2858

measuring element (28, Fig. 2) operating in a kilohertz frequency range for measuring an electric and/or magnetic field strength set up by a charge distribution on the surface of the rotor blades or guide vanes (col. 6, lines 34-40) resulting from charged particles being deposited on the surface by an ionized gas flowing over the surface of the rotor blades or guide vanes (col. 4, lines 56-57), as in claim 21. Harrold also teaches a monitoring unit for determining when the signal deviates from a threshold being defined responsive to a location of the rotor blades or guide vanes relative to the outlet of the turbo engine (monitoring, col. 3, line 18, 29, 34; col. 4, line 61-64; col. 6, line 34-53). Harrold also designates the variation of the magnitude of the signal according to the level of gas pressure (col. 2, line 59), which he also indicates is compressed near the combustor and expands through the turbine (col. 4, line 37-43), that is relative to the outlet of the turbine engine, as is known to one of ordinary skill in the art.

Most importantly, Harrold teaches "the radio frequency signals produced by the coating will likely encompass a broad range of frequencies from below radio frequencies to microwaves and beyond, and any subset of these frequencies may be selected for analysis" (col. 5, line 53-57). Furthermore, Harrold also teaches the resonant frequency in the kilohertz range (col. 5, line 10), which is comparable to the applicant's 4800 Hz spike in the drawings (Fig. 7 – 9), as due to the rotation speed of each blade. This is the same frequency range that both inventions concentrate upon for analysis. Lastly, Harrold clearly demonstrates in Fig. 5 a time domain signal that necessarily has to be in the kilohertz range (applicant admission, p. 3, par. 9), "as each blade 18 passes the vane 22 adjacent to antenna 28, the antenna 28 will detect the second radio frequency

Art Unit: 2858

signal from the vane, and the third radio frequency signal 42 from the blade" (col. 6, line 20), which is clearly seen in Fig. 5, implying a frequency matching the rotation speed (kHz).

Regarding claim 32, Harrold teaches a method for determining damage to an electrically insulating surface of a turbine component (col. 6, lines 25-26, 34-37), providing a plurality of turbine blades or vanes made of an electrically conducting material (col. 4, lines 34-35) and arranged within a turbo engine (Figs. 1 and 2); creating an electric and/or magnetic field strength by a charge distribution on the surface of the turbine blade or vane (tribo-charging causing static electricity on blades or vanes, col. 5, lines 37-38); measuring the electric and/or magnetic field strength by a measuring element (col. 5, lines 1-15); and determining when the electric field deviates from a definable threshold value (other radio signals, col. 6, line 28). The same argument as above applies to the amended limitations in claim 32 drawn toward kilohertz frequency range measurement. Regarding the amended portion, defining a threshold responsive to a location of the rotor blades or the guide vanes relative to an outlet of the turbo engine, Harrold teaches using pattern-recognition software (col. 6, line 55) and also comparing the signal from one vane to the signals from other vanes, which establishes a threshold (col. 6, line 52-53). Harrold also designates the variation of the magnitude of the signal according to the level of gas pressure (col. 2, line 59), which he also indicates is compressed near the combustor and expands through the turbine (col. 4, line 37-43), that is relative to the outlet of the turbine engine, as is known to one of ordinary skill in the art.

Regarding claim 34, at least one of the measuring elements of Harrold are connected to a measuring (col. 5, lines 8-15) and monitoring unit (col. 6, lines 36-7 and Fig. 3) connected to a control center (computer 36, col. 5, line 14).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 22 – 25, 27, 28, 30, 31 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harrold in view of Khorrami (US 5,970,393) of record.

Regarding claims 22 and 33, the teachings of Harrold are reviewed above which also suggest that a separate antenna may be placed in the region of each vane (col. 6, line 36).

Harrold does not describe the attachment of his measuring element to or on the rotor shaft.

Khorrami teaches the use of a measuring element (microstrip antenna) which can be imbedded and flush mounted or arranged onto high speed machinery, which obviously includes rotating objects (col. 3, lines 11-30) for the monitoring of turbine blades (col. 3, line 60); which satisfies the passive, wireless capability that is implied by the claim's arrangement on a moving object as a rotor shaft, as best understood in light of the specification and #9 in Fig. 5 of the instant application.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized the microstrip antenna of Khorrami for a measuring element arranged on high speed machinery, such as a rotor shaft in the region of the vanes, as suggested by Harrold (col. 6, lines 35-36), for the benefit of continuous monitoring of the condition of the vanes with the measuring element that is relatively inexpensive and light weight (Khorrami, col. 3, lines 11-13).

Regarding claims 23 and 30, Harrold uses an insulating coating (col. 4, lines 36-37) on the electrically conductive blades and vanes, as in claim 30. Harrold's electrically conductive blades and vanes are capable of producing a charge distribution (col. 5, lines 39-40) on the surface of the blades (static electricity within the coating 26), as in claim 23, which is generated by the electrostrictive and piezoelectric insulating properties of the coating.

Regarding claim 24, Harrold uses a coaxial antenna where the axis is a ferrite rod and the outer coaxial layer is nickel (col. 5, lines 2-4).

Regarding claims 25 and 27, at least one of the measuring elements of Harrold are connected to a measuring (col. 5, lines 8-15) and monitoring unit (col. 6, lines 36-7 and Fig. 3) connected to a control center (computer 36, col. 5, line 14).

Regarding claim 28, as best understood, Harrold's measuring, monitoring and control center inherently comprises a signaling device (col. 6, lines 48-53).

Regarding claim 31, Harrold's turbine engine is a gas turbine as well (col. 5, lines 16 and 36).

Art Unit: 2858

7. Claim 29, as best understood, is rejected under 35 U.S.C. 103(a) as being unpatentable over Harrold as modified by Khorrami as applied to claim 26, and further in view of Deegan of record (US 5,552,711).

The teachings of Harrold as modified by Khorrami are reviewed above.

Harrold as modified by Khorrami does not include the aspect of an engine shut down by the monitoring unit when a threshold value is exceeded.

Harrold as modified by Khorrami does not disclose turbo engine shut down by the monitoring unit.

Deegan, from the same field of specialty, teaches the shutting down of the turbine engine by the monitoring unit (Fig. 1A) when a definable threshold value is exceeded (col. 4, lines 12-14), as in claim 29.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included Deegan's teachings of shut down by the monitoring unit in the invention of Harrold, as modified by Khorrami, for the benefit of preventing catastrophic failure of the turbine engine when a threshold value is exceeded.

8. Claims 35 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harrold in view of Deegan of record.

The teachings of Harrold are reviewed above.

Harrold does not include the aspect of an alarm output or engine shut down when a threshold value is exceeded.

Deegan, from the same field of specialty, teaches the shutting down of the turbine engine by the monitoring unit (Fig. 1A) when a definable threshold value is exceeded (col. 4, lines 12-14), as in claim 36, and also the concept of registering an alert (col. 3, line 22), which is inherently an alarm, as in claim 35.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included Deegan's teachings of shut down and alarm in the invention of Harrold for the benefit of preventing catastrophic failure of the turbine engine when a threshold value is exceeded.

9. Claims 37 - 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harrold in view of Deegan and IEEE Interharmonic Task Force of record.

The teachings of Harrold are reviewed above.

Harrold does not include a signal transformation by a Fourier transform (FFT) where it is displayed and/or signaled and compared with a definable threshold value.

Deegan, from the same field of endeavor, teaches the use of a measurement signal processor which performs a spectrum analysis transformation with the product of this analysis passed onto a display device (col. 3, lines 19-20), as in claim 39, and compared to a definable threshold value (predetermined level, col. 4, line 14), as in claim 40.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included Deegan's display and comparison with a definable threshold value in Harrold's invention for the benefit of expedient response to the turbine engine requiring service.

Harrold as modified by Deegan does not explicitly address a Fourier transformation (FFT), though it is inherent to spectrum analysis.

The IEEE Interharmonic Task Force, which refers to its work with turbine engines (p. 3, 2nd col., line 21) does include spectrum analysis (Figure 5) and the connection between such analysis and the Fast Fourier Transformation (p. 5, 2nd col., par. 4), as in claims 37 and 38.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included FFT spectrum analysis, as taught by Deegan and the IEEE Interharmonic Task Force, of the signal from a measuring element of Harrold, for the benefit of preventing catastrophic failure by filtering a specific frequency and setting an alarm when that frequency component exceeds a predetermined threshold value.

Conclusion

10. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2858


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas F. Valone whose telephone number is 571-272-8896. The examiner can normally be reached 9 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diane Lee can be reached on 571-272-2399. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Thomas Valone, PhD, PE
Patent Examiner
Art Unit 2858
571-272-8896



ANDREW H. HIRSHFELD
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800